

Composition

Each L contains

Sulfadiazine Sodium400g

Trimethoprim100g



Indication

Prevention and treatment of vitamin and amino acid deficiency, promotion of poultry growth, improvement of feed efficiency, strengthening immunity, fertilization rate, spawning rate and prevention of stress,

Prevention and treatment of gastrointestinal, respiratory and urinary diseases caused by escherichia coli, hemophilus pilluseugyun, pasteurella multocida, salmonella, staphylococcus aureus, streptococci susceptible to sulfadiazine and trimethoprim

Dosage & Administration

Poultry; Administer 0.3-0.4ml diluted with per 1 L of drinking water for consecutive 3-5 days.

Swine; Administer 1ml /10Kg of b.w. diluted with per 1 L of drinking water for consecutive 4-7 days.

Packaging unit

100ml, 250ml, 500ml, 1L


Storage and expiry date

Store in an airtight container at room temperature (1-30°C) protected from light.

24 months from date of manufacture

Precaution

- A. Withdrawal period: 12 days
- B. Do not use for animals with shock and hypersensitive response to Sulfa drug and Trimethoprim.
- C. Do not administer to laying chickens.
- D. Observe the dosage & administration
- E. Do not use for animals with kidney or liver disorder.
- F. Do not administer it with other medicines with utmost caution
- G. Consult with your veterinarian.





Manufacturer: Hebei Pude Animal Medicine Co., Ltd

Exporter: Hebei Nuob Trade Co., Ltd

Website: www.victorypharm.com

Alibaba: www.victorypharm.en.alibaba.com

Email: julia@victorypharm.com

Mobie&Whatsapp: +86 13191871625

Tel: +86-311-89265710 **Fax:** +86-311-58052865



Address: B-1601, Lechen Business Building, No.260 Huaian Road, Shijiazhuang City, Hebei, China